TRACTION TIRE CHART – Premier O Scale

AS OF April 15, 2020

MTH P/N	DE-0000015	DE-0000018	DE-0000023	DE-0000025	DE-0000027	DE-0000029	DE-0000031
	(DE-0000014 - use this in its place)		(DE-0000022 - use ths in its place)		(old part # DE-1050036)	NO LONGER AVAILABLE	(old part # DE-1050041)
			(old part # DE-1050038)				(DE-1152002000)
ASC PART #'s	DE-0000015	DE-0000018-50	DE-0000023-25	DE-0000025-25	DE-0000027-25	Measure Outside Wheel Diameter	DE-0000031-25
TIRE O.D.	15.0mm	17.0mm	22.1 mm	24.4mm	26.9mm	36.5mm use DE-0000027	30.3 mm
TIRE WIDTH	4.0mm	4.0mm	3.5mm	3.5mm	3.5mm	38.6mm use DE-0000031	3.5mm
Wheel Diameter	18 mm	22 mm	27 - 30 mm	32-33 mm	35 - 37 mm		38.5 - 42 mm
MODELS	CLIMAX	SHAY	E-F 3B	2-8-8-2 GN R-2	4-8-8-2 CAB FORWARD		4-6-2 BLUE COMET
	UP DC-3	EP-5	4-12-2 UP 9000	TRIPLEX	4-4-6-4 Q-2		4-8-4 NORTHERN
	M10000	RECTIFIER	GG-1	2-8-0 H-10	4-6-2 USRA PACIFIC		4-4-4-4 PRR T-1
	ZEPHYR	COAL TURBINE	0-8-0 USRA	2-10-0 DECAPOD	2-8-8-2 Y-3		4-6-2 PRR ATLANTIC
		M-1	2-8-0 H-3	2-8-8-2 Y6B MALLET	2-6-6-6 H-8 ALLEGHENY		4-8-4 FEF NORTHERN
		P-2 BOX CAB	0-4-0 A5S	2-8-2 USRA MIKADO	4-8-4 N&W J		6-4-4-6 PRR S-1
		CENTIPEDE	0-6-0 USRA RUSSIAN DECAPOD	4-8-8-4 BIG BOY	4-8-4 UNSHROUDED J		4-6-4 J1E HUDSON
		E2 BI POLAR		4-6-6-4 CHALLENGER	4-8-2 CN U1F MOUNTAIN 6060		4-6-4 SF BLUE GOOSE
		ALL DIESELS		2-8-8-4 DM&IR YELLOWSTONE	4-6-0 CAMELBACK		4-6-4 DREYFUSS
				2-6-6-4 CLASS A	4-4-0 70" DRIVERS		4-6-4 ESE
				2-8-0 H-9 CONSOLIDATION			4-6-4 J1D HUDSON
				2-10-4 AT&SF TEXAS			4-6-4 HIAWATHA
				2-10-4 J-1			4-6-4 C&N3W E-4
				2-8-4 KANAWHA			4-6-4 CP ROYAL HUDSON
				2-8-2 L-1 MIKADO			4-6-2 PS-4
				CNJ4 CLASS L6S			4-8-4 GS-4
				2-10-0 BR44/150X			4-8-4 NIAGARA
				2-8-2 141P			4-8-4 GREENBRIER
				4-8-2 241A ERA II & III			4-8-4 READING T-1
				4-8-2 DUCHESS			4-4-0 86" DRIVERS
							4-6-0 G-5
							P-5a MODIFIED
							4-6-2 K-4S
							4-6-2 2-3-1 PACIFIC CHAPELON
							4-6-2 S 3/6

TRACTION TIRE CHART – RailKing O Gauge

AS OF April 15, 2020

MTH P/N	DE-0000015	DE-0000018	DE-0000023	DE-0000025	DE-0000027	DE-0000029	DE-0000031
	(DE-0000014 - use this in its place)		(DE-0000022 - use this in its place)		(old part # DE-1050036)	UNAVAILABLE	(old part # DE-1050041)
			(old part # DE-1050038)				(DE-1152002000)
ASC PART #'s	DE-0000015	DE-0000018-50	DE-0000023-25	DE-0000025-25	DE-0000027-25	Measure Outside Wheel Diameter	DE-0000031-25
TIRE O.D.	15.0mm	17.0mm	22.1 mm	24.4mm	26.9mm	36.5mm use DE-0000027	30.3 mm
TIRE WIDTH	4.0mm	4.0mm	3.5mm	3.5mm	3.5mm	38.6mm use DE-0000031	3.5mm
Wheel Diameter	18 mm	22 mm	27 - 30 mm	32-33 mm	35 - 37 mm		38.5 - 42 mm
MODELS	**RAILKING**	**RAILKING**	**RAILKING**	**RAILKING**	**RAILKING**		
	PCC	ALL DIESELS	0-8-0	4-8-8-4 BIG BOY	4-6-4 DREYFUS		
	GALLOPING GOOSE		4-8-8-2 CAB FORWARD	4-6-6-4 CHALLENGER	4-6-4 ESE		
	BRILL TROLLEY	DOODLEBUG	6-8-6 S-2 TURBINE	4-8-2 M1A MOUNTAIN	4-6-4 HIAWATHA		
	SUBWAY	GG-1	2-10-0 DECAPOD	4-6-0 CAMELBACK	4-6-4 HUDSON		
	ZEPHYR	BUDD CAR	0-6-0 B-6 SWITCHER	4-8-4 NORTHERN	4-6-4 COMM VANDERBELT		
	M10000	EP-5	0-6-0 USRA SWITCHER	4-8-2 MOHAWK	4-6-2 49ER		
	FLYING YANKEE	RECTIFIER	2-8-8-2 USRA	4-8-4 GS-4	4-6-2 TORPEDO		
		AERO TRAIN	TRIPLEX	4-8-4 GS-2	4-6-2 BLUE COMET		
			2-8-8-2 Y6B MALLET	2-8-4 A-2 BERKSHIRE	4-6-2 K-4s		
			2-6-0 MOGUL	4-8-4 N&W J	4-6-2 P-47 BALDWIN PACIFIC		
			2-8-0 CONSOLIDATION		4-6-2 PS-4		
			2-8-2 L-1 MIKADO		2-6-6-6 H-8 ALLEGHENY		
					4-6-2 CRUSADER		
			SET 4-6-0				
			SET 6-8-6 S-2				
			SET 4-8-4 GS-4				
			SET 4-8-4 N&W "J"				
			SET 4-6-2 BLUE COMET				

HO TRACTION TIRE CHART

AS OF April 15, 2020

MTH P/N	DE-2600009	DE-3600014	DE-1600013	DE-1600015	DE-1600017
			old # DE-0000016	old # DE-0000019	old # DE-0000017
Eng Wheel Dia.			17.5 - 18.7 mm	19.5 - 20.0 mm	22.0 - 23.1 mm
TIRE OUT DIA.	9.4mm	14.1mm	13.8mm	15.2mm	16.6mm
TIRE WIDTH	1.8mm	1.8mm	1.3mm	1.3mm	1.3mm
MSRP	$0.80	$0.80	$0.80	$0.80	$0.80
MODELS	ALL HO diesels	HO GG-1	HO Triplex (2-8-8-8-2)	HO Challenger (4-6-6-4)	HO K-4s (4-6-2)
	HO SD70AEc		HO Mikado (2-8-2)	HO Big Boy (4-8-8-4)	HO GS-4 (4-8-4)
	HO F-3		HO UP 9000 (4-12-2)	HO Berkshire (2-8-4)	HO GS-6 (4-8-4)
	HO F-7		HO Cab Fwd (4-8-8-2)	HO N&W J (4-8-4)	HO Dreyfuss (4-6-4
	HO FA			HO L-3 Mohawk (4-8-2)	HO ESE (4-6-4)
	HO PA			HO Allegheny (2-6-6-6)	HO S3/6
	HO GP-35				HO Yellowstone (2-8-8-4)
	HO Dash-9				HO Consolidation (2-8-0)
	HO ES44				
	applies to only MTH	applies to only MTH			
	-5 models (3 rail AC)	-5 models (3 rail AC)			
	with center rail slide shoe	with center rail slide shoe			

Standard & #1 gauge TRACTION TIRE CHART

AS OF April 15, 2020

MTH P/N	**DE-0000024**	**DE-0000040**	**DE-0000026**	**DE-0000037**	**DE-0000049**	**DE-0000057**
	NOT THE SAME AS DE-0000023					NO LONGER AVAILABLE
TIRE OUT DIA.	23.0mm	40.0mm	25.5mm	37.0mm	49.0mm	57.0mm
TIRE WIDTH	3.5mm	4.0mm	4.0mm	4.5mm	4.5mm	4.5mm
MSRP	$3.00 each	$3.00 each	$3.00 each	$3.00 each	$3.00 each	$3.00 each
MODELS	TP 260/ 263	TP Std. Gauge	All Dieels (#1 Gauge)	GG-1 (#1 Gauge)	Challenger (#1 Gauge)	Hudson (J3A)(#1 gauge)
		TP No. 6 Steam	Dash 8 (#1 Gauge)	Triplex (#1 gauge)		**USE DE-0000049**
		TP No. 7 Steam	F-3 (#1 Gauge)	Big Boy (#1 gauge)	**if not available use**	
			F-7 (#1 gauge)		**DE-0000037**	
			Alco PA (#1 gauge)			
			VO-1000 (#1 gauge)			